


M:\Elhanney\ANSI D - 2025-01-10  
 M:\Elhanney\ANSI D - 2025-01-10  
 PROJECTS\3112701802 - District of Hudson's Hope WTP - DD - Clarifier Supply Coord\07\_DRAWINGS\01 - Sheets\8\DS112701802-P-100-SERIES.dwg  
 DATE: 2026-02-25, 16:56 FILE: X:\3112701802 - District of Hudson's Hope WTP - DD - Clarifier Supply Coord\07\_DRAWINGS\01 - Sheets\8\DS112701802-P-100-SERIES.dwg



- LEGEND:**
- RAW WATER
  - CLARIFIED/FILTERED WATER
  - POTABLE WATER
  - WASTEWATER
  - SLUDGE TRANSFER
  - CHEMICAL ADDITION
  - BACKWASH
  - AIR
  - DRAIN
  - EXISTING

- NOTES:**
1. REFER TO CIVIL DRAWINGS PER PROJECT 3111-27018-02 FOR ALL CIVIL WORKS RELATED TO OUTDOOR BURIED WATER MAINS, VALVES, RAW WATER INTAKES, AND THE AIR COMPRESSOR. NOT ALL DETAILS ARE SHOWN ON THIS P&ID.
  2. REFER TO ELECTRICAL DRAWINGS PER PROJECT 3111-27018-02 FOR ALL ELECTRICAL WORKS RELATED TO THE WATER INTAKES AND AIR COMPRESSORS. NOT ALL DETAILS ARE SHOWN ON THIS P&ID.
  3. INTAKE WELL 2 TO BE LEFT SPARE.
  4. REFER TO VENDOR PACKAGE / DRAWINGS.
  5. MASTER PLC REFERS TO EXISTING WTP SCHNEIDER PLC.
  6. INSTRUMENTATION WIRED TO THE WTP MASTER PLC DIRECTLY AND TO BE DISPLAYED ON THE PLANT HMI.
  7. REFER TO DRAWINGS P102, P103, P104, P105, P106, P107 AND P108 FOR PIPING DESIGNATION BETWEEN SCH80 PVC AND STAINLESS STEEL PIPE.
  8. INTAKE COMPRESSOR BUILDING TEMPERATURE.
  9. EXISTING VFDS.

Rev	Date	Description	Drawn	Design	App'd
1	2026-02-27	ISSUED FOR QUOTATION	GP	CS	MD
0	2025-12-18	ISSUED FOR PERMITTING	JD	CS	MD

THIS DRAWING AND DESIGN IS THE PROPERTY OF MCELHANEY AND SHALL NOT BE USED, REUSED OR REPRODUCED WITHOUT THE CONSENT OF MCELHANEY. MCELHANEY WILL NOT BE HELD RESPONSIBLE FOR THE IMPROPER OR UNAUTHORIZED USE OF THIS DRAWING AND DESIGN.

THIS DRAWING AND DESIGN HAS BEEN PREPARED FOR THE CLIENT IDENTIFIED, TO MEET THE STANDARDS AND REQUIREMENTS OF THE APPLICABLE PUBLIC AGENCIES AT THE TIME OF PREPARATION. MCELHANEY, ITS EMPLOYEES, SUBCONSULTANTS AND AGENTS WILL NOT BE LIABLE FOR ANY LOSSES OR OTHER CONSEQUENCES RESULTING FROM THE USE OR RELIANCE UPON, OR ANY CHANGES MADE TO, THIS DRAWING, BY ANY THIRD PARTY, INCLUDING CONTRACTORS, SUPPLIERS, CONSULTANTS AND STAKEHOLDERS, OR THEIR EMPLOYEES OR AGENTS, WITHOUT MCELHANEY'S PRIOR WRITTEN CONSENT.

INFORMATION ON EXISTING UNDERGROUND FACILITIES MAY NOT BE COMPLETE OR ACCURATE. MCELHANEY, ITS EMPLOYEES AND DIRECTORS ARE NOT RESPONSIBLE NOR LIABLE FOR THE LOCATION OF ANY UNDERGROUND CONDUITS, PIPES, CABLES OR OTHER FACILITIES WHETHER SHOWN OR OMITTED FROM THIS PLAN. PRIOR TO CONSTRUCTION CONTRACTOR SHALL EXPOSE LOCATIONS OF ALL EXISTING FACILITIES BY HAND DIGGING OR HYDROVAC AND ADVISE THE ENGINEER OF POTENTIAL CONFLICTS.

ORIGINAL DWG SIZE: ANSI D (22" x 34")

**McElhanney**

8808 Northern Lights Drive,  
Fort St. John BC V1J 6M2  
Tel. 250 787 0356

**PERMIT TO PRACTICE**  
McElhanney Ltd.  
PERMIT NUMBER: 1003299  
Engineers and Geoscientists of BC

**DISTRICT OF HUDSON'S HOPE**  
9904 DUDLEY DRIVE, HUDSON'S HOPE, BC, V0C 1V0

**WATER TREATMENT PLANT  
UPGRADES - PACKAGE 3  
RAW WATER INTAKE SYSTEM  
P&ID**

Drawing No. **P-100**


Sheet **01 OF 07**

Project Number **3111-27018-02** Rev. **1**

DESTROY ALL PRINTS BEARING PREVIOUS REVISION



DATE: 2026-02-25, 16:56 FILE: X:\3111\Projects\31112701802\_District of Hudsons Hope WTP\_DD - Clarifier Supply\Coord07\_DRAWINGS\01\_Sheets\31112701802\_P-100-SERIES.dwg  
 Mclhanney ANS D - 2025-01-10



- LEGEND:**
- RAW WATER
  - CLARIFIED/FILTERED WATER
  - POTABLE WATER
  - WASTEWATER
  - SLUDGE TRANSFER
  - CHEMICAL ADDITION
  - BACKWASH
  - AIR
  - DRAIN
  - EXISTING

- NOTES:**
1. AIR VALVES, DRAINS AND SAMPLE VALVE LOCATIONS NOT SHOWN ON THIS DRAWING REVISION.
  2. REFER TO DRAWINGS P102, P103, P104, P105, P106, P107 AND P108 FOR PIPING DESIGNATION BETWEEN SCH80 PVC AND STAINLESS STEEL PIPE.

Rev	Date	Description	Drawn	Design	App'd
1	2026-02-27	ISSUED FOR QUOTATION	GP	CS	MD
0	2025-12-18	ISSUED FOR PERMITTING	JD	CS	MD

THIS DRAWING AND DESIGN IS THE PROPERTY OF MCLHANNEY AND SHALL NOT BE USED, REUSED OR REPRODUCED WITHOUT THE CONSENT OF MCLHANNEY. MCLHANNEY WILL NOT BE HELD RESPONSIBLE FOR THE IMPROPER OR UNAUTHORIZED USE OF THIS DRAWING AND DESIGN.

THIS DRAWING AND DESIGN HAS BEEN PREPARED FOR THE CLIENT IDENTIFIED, TO MEET THE STANDARDS AND REQUIREMENTS OF THE APPLICABLE PUBLIC AGENCIES AT THE TIME OF PREPARATION. MCLHANNEY, ITS EMPLOYEES, SUBCONSULTANTS AND AGENTS WILL NOT BE LIABLE FOR ANY LOSSES OR OTHER CONSEQUENCES RESULTING FROM THE USE OR RELIANCE UPON, OR ANY CHANGES MADE TO, THIS DRAWING, BY ANY THIRD PARTY, INCLUDING CONTRACTORS, SUPPLIERS, CONSULTANTS AND STAKEHOLDERS, OR THEIR EMPLOYEES OR AGENTS, WITHOUT MCLHANNEY'S PRIOR WRITTEN CONSENT.

INFORMATION ON EXISTING UNDERGROUND FACILITIES MAY NOT BE COMPLETE OR ACCURATE. MCLHANNEY, ITS EMPLOYEES AND DIRECTORS ARE NOT RESPONSIBLE NOR LIABLE FOR THE LOCATION OF ANY UNDERGROUND CONDUITS, PIPES, CABLES OR OTHER FACILITIES WHETHER SHOWN OR OMITTED FROM THIS PLAN. PRIOR TO CONSTRUCTION CONTRACTOR SHALL EXPOSE LOCATIONS OF ALL EXISTING FACILITIES BY HAND DIGGING OR HYDROVAC AND ADVISE THE ENGINEER OF POTENTIAL CONFLICTS.

ORIGINAL DWG SIZE: ANSI D (22" x 34")

**McElhanney**

8808 Northern Lights Drive,  
Fort St. John BC V1J 6M2  
Tel. 250 787 0356

**PERMIT TO PRACTICE**  
McElhanney Ltd.

PERMIT NUMBER: 1003299  
Engineers and Geoscientists of BC

Approved Sealed

**DISTRICT OF HUDSON'S HOPE**  
9904 DUDLEY DRIVE, HUDSON'S HOPE, BC, V0C 1V0

**WATER TREATMENT PLANT  
UPGRADES - PACKAGE 3  
MEDIA FILTERS  
P&ID**


Drawing No. **P-100**

Sheet **03 OF 07**

Project Number **3111-27018-02** Rev. **1**

DESTROY ALL PRINTS BEARING PREVIOUS REVISION

DATE: 2026-02-27, 10:49 FILE: X:\3111\Projects\3111270-1802-District of Hudsons Hope WTP DD - Clarifier Supply Coord\07\_DRAWINGS\01\_Sheets\B\03111270-1802-P-100-SERIES.dwg McElhanney ANSD (D - 2025-01-10)



- LEGEND:**
- RAW WATER
  - CLARIFIED/FILTERED WATER
  - POTABLE WATER
  - WASTEWATER
  - SLUDGE TRANSFER
  - CHEMICAL ADDITION
  - BACKWASH
  - AIR
  - DRAIN
  - EXISTING

- NOTES:**
1. AIR VALVES, DRAINS AND SAMPLE VALVE LOCATIONS NOT SHOWN ON THIS DRAWING REVISION.
  2. DELETED.
  3. SPARE INJECTION QUILL.
  4. EXISTING HEATER DECOMMISSIONED AND REMOVED.
  5. REFER TO INSTRUMENT SUPPLIER MANUAL FOR CORRECT INSTALLATION.
  6. CONTACT TANK OVERFLOW TO MUNICIPAL SEWER VIA AIR GAP.
  7. REFER TO DRAWINGS P102, P103, P104, P105, P106, P107 AND P108 FOR PIPING DESIGNATION BETWEEN SCH80 PVC AND STAINLESS STEEL PIPE.
  8. ALTERNATE LOCATION FOR CHLORINE DOSING POINT PER CURRENT WTP CONFIGURATION. IN FUTURE, SECOND DOSING POINT MAY BE USED FOR CHLORINE RESIDUAL TOP-UP BEFORE LEAVING THE TREATMENT PLANT.
  9. CHLORINE DOSING PUMPS FLOW PACED TO FIT-H0608

Rev	Date	Description	Drawn	Design	App'd
1	2026-02-27	ISSUED FOR QUOTATION	GP	CS	MD
0	2025-12-18	ISSUED FOR PERMITTING	JD	CS	MD

THIS DRAWING AND DESIGN IS THE PROPERTY OF McELHANNEY AND SHALL NOT BE USED, REUSED OR REPRODUCED WITHOUT THE CONSENT OF McELHANNEY. McELHANNEY WILL NOT BE HELD RESPONSIBLE FOR THE IMPROPER OR UNAUTHORIZED USE OF THIS DRAWING AND DESIGN.

THIS DRAWING AND DESIGN HAS BEEN PREPARED FOR THE CLIENT IDENTIFIED, TO MEET THE STANDARDS AND REQUIREMENTS OF THE APPLICABLE PUBLIC AGENCIES AT THE TIME OF PREPARATION. McELHANNEY, ITS EMPLOYEES, SUBCONSULTANTS AND AGENTS WILL NOT BE LIABLE FOR ANY LOSSES OR OTHER CONSEQUENCES RESULTING FROM THE USE OR RELIANCE UPON, OR ANY CHANGES MADE TO, THIS DRAWING, BY ANY THIRD PARTY, INCLUDING CONTRACTORS, SUPPLIERS, CONSULTANTS AND STAKEHOLDERS, OR THEIR EMPLOYEES OR AGENTS, WITHOUT McELHANNEY'S PRIOR WRITTEN CONSENT.

INFORMATION ON EXISTING UNDERGROUND FACILITIES MAY NOT BE COMPLETE OR ACCURATE. McELHANNEY, ITS EMPLOYEES AND DIRECTORS ARE NOT RESPONSIBLE NOR LIABLE FOR THE LOCATION OF ANY UNDERGROUND CONDUITS, PIPES, CABLES OR OTHER FACILITIES WHETHER SHOWN OR OMITTED FROM THIS PLAN. PRIOR TO CONSTRUCTION CONTRACTOR SHALL EXPOSE LOCATIONS OF ALL EXISTING FACILITIES BY HAND DIGGING OR HYDROVAC AND ADVISE THE ENGINEER OF POTENTIAL CONFLICTS.

ORIGINAL DWG SIZE: ANSI D (22" x 34")

**McElhanney**

8808 Northern Lights Drive,  
Fort St. John BC V1J 6M2  
Tel. 250 787 0366

**PERMIT TO PRACTICE**  
McElhanney Ltd.

PERMIT NUMBER: 1003299  
Engineers and Geoscientists of BC

PROFESSIONAL  
REGISTERED  
M.P. J. DESAGNE  
#28825  
BRITISH  
COLUMBIA  
ENGINEER

2026-03-02  
Approved Sealed

**DISTRICT OF HUDSON'S HOPE**  
9904 DUDLEY DRIVE, HUDSON'S HOPE, BC, V0C 1V0

**WATER TREATMENT PLANT  
UPGRADES - PACKAGE 3  
CARTRIDGE FILTRATION AND CHLORINE CONTACT  
P&ID**


Drawing No. **P-100**

Sheet **04 OF 07**

Project Number **3111-27018-02** Rev. **1**

DESTROY ALL PRINTS BEARING PREVIOUS REVISION

DATE: 2026-02-25, 16:56 FILE: X:\3111\Projects\31112701802\_District of Hudsons Hope WTP\_DD - Clarifier Supply\Coord07\_DRAWINGS\01\_Sheets\8\8\31112701802\_P-100-SERIES.dwg McElhanney ANS D - 2025-01-10



- LEGEND:**
- RAW WATER
  - CLARIFIED/FILTERED WATER
  - POTABLE WATER
  - WASTEWATER
  - SLUDGE TRANSFER
  - CHEMICAL ADDITION
  - BACKWASH
  - AIR
  - DRAIN
  - EXISTING

- NOTES:**
- AIR GAP.
  - REFER TO DRAWINGS P102, P103, P104, P105, P106, P107 AND P108 FOR PIPING DESIGNATION BETWEEN SCH80 PVC AND STAINLESS STEEL PIPE.
  - SODIUM THIOSULPHATE DOSING ONLINE IF MEDIA FILTER BACKWASH ONLINE AND IF VALVE 150-BU-G9900 IS OPEN. DOSING FLOW RATE IS CALCULATED BY PLC BASED ON BACKWASH FLOW SET POINT.
  - EXISTING ANTISCALANT DOSING SYSTEM REPURPOSED FOR SODIUM THIOSULPHATE DOSING. DUTY/STANDBY PUMP FROM EXISTING PUMPING SKID. SUPPLY NEW FOOT VALVE.

Rev	Date	Description	Drawn	Design	App'd
1	2026-02-27	ISSUED FOR QUOTATION	GP	CS	MD
0	2025-12-18	ISSUED FOR PERMITTING	JD	CS	MD

THIS DRAWING AND DESIGN IS THE PROPERTY OF MCELHANNNEY AND SHALL NOT BE USED, REUSED OR REPRODUCED WITHOUT THE CONSENT OF MCELHANNNEY. MCELHANNNEY WILL NOT BE HELD RESPONSIBLE FOR THE IMPROPER OR UNAUTHORIZED USE OF THIS DRAWING AND DESIGN.

THIS DRAWING AND DESIGN HAS BEEN PREPARED FOR THE CLIENT IDENTIFIED, TO MEET THE STANDARDS AND REQUIREMENTS OF THE APPLICABLE PUBLIC AGENCIES AT THE TIME OF PREPARATION. MCELHANNNEY, ITS EMPLOYEES, SUBCONSULTANTS AND AGENTS WILL NOT BE LIABLE FOR ANY LOSSES OR OTHER CONSEQUENCES RESULTING FROM THE USE OR RELIANCE UPON, OR ANY CHANGES MADE TO, THIS DRAWING, BY ANY THIRD PARTY, INCLUDING CONTRACTORS, SUPPLIERS, CONSULTANTS AND STAKEHOLDERS, OR THEIR EMPLOYEES OR AGENTS, WITHOUT MCELHANNNEY'S PRIOR WRITTEN CONSENT.

INFORMATION ON EXISTING UNDERGROUND FACILITIES MAY NOT BE COMPLETE OR ACCURATE. MCELHANNNEY, ITS EMPLOYEES AND DIRECTORS ARE NOT RESPONSIBLE NOR LIABLE FOR THE LOCATION OF ANY UNDERGROUND CONDUITS, PIPES, CABLES OR OTHER FACILITIES WHETHER SHOWN OR OMITTED FROM THIS PLAN. PRIOR TO CONSTRUCTION CONTRACTOR SHALL EXPOSE LOCATIONS OF ALL EXISTING FACILITIES BY HAND DIGGING OR HYDROVAC AND ADVISE THE ENGINEER OF POTENTIAL CONFLICTS.

ORIGINAL DWG SIZE: ANSI D (22" x 34")

**McElhanney**

8808 Northern Lights Drive,  
Fort St. John BC V1J 6M2  
Tel. 250 787 0356

**PERMIT TO PRACTICE**  
McElhanney Ltd.

PERMIT NUMBER: 1003299  
Engineers and Geoscientists of BC

**PROFESSIONAL ENGINEER**


M.P.J. DEGAGNE  
#29825  
2026-03-02  
Approved Sealed

**DISTRICT OF HUDSON'S HOPE**  
9904 DUDLEY DRIVE, HUDSON'S HOPE, BC, V0C 1V0

**WATER TREATMENT PLANT UPGRADES - PACKAGE 3 WASTE WATER HANDLING P&ID**

Drawing No.	<b>P-100</b>	
Sheet	05 OF 07	
Project Number	3111-27018-02	Rev. 1

DESTROY ALL PRINTS BEARING PREVIOUS REVISION



**LEGEND:**

- RAW WATER
- CLARIFIED/FILTERED WATER
- POTABLE WATER
- WASTEWATER
- SLUDGE TRANSFER
- CHEMICAL ADDITION
- BACKWASH
- AIR
- DRAIN
- EXISTING

- NOTES:**
- POLYMER DRAIN TIE-POINTS NOT SHOWN. PLUMB TEMPORARY HOSE FOR HYDRAPOL SYSTEM DRAINING OR DRAIN TO CONTAINMENT.

Rev	Date	Description	Drawn	Design	App'd
1	2026-02-27	ISSUED FOR QUOTATION	GP	CS	MD
0	2025-12-18	ISSUED FOR PERMITTING	JD	CS	MD

THIS DRAWING AND DESIGN IS THE PROPERTY OF McELHANNEY AND SHALL NOT BE USED, REUSED OR REPRODUCED WITHOUT THE CONSENT OF McELHANNEY. McELHANNEY WILL NOT BE HELD RESPONSIBLE FOR THE IMPROPER OR UNAUTHORIZED USE OF THIS DRAWING AND DESIGN.

THIS DRAWING AND DESIGN HAS BEEN PREPARED FOR THE CLIENT IDENTIFIED, TO MEET THE STANDARDS AND REQUIREMENTS OF THE APPLICABLE PUBLIC AGENCIES AT THE TIME OF PREPARATION. McELHANNEY, ITS EMPLOYEES, SUBCONSULTANTS AND AGENTS WILL NOT BE LIABLE FOR ANY LOSSES OR OTHER CONSEQUENCES RESULTING FROM THE USE OR RELIANCE UPON, OR ANY CHANGES MADE TO, THIS DRAWING, BY ANY THIRD PARTY, INCLUDING CONTRACTORS, SUPPLIERS, CONSULTANTS AND STAKEHOLDERS, OR THEIR EMPLOYEES OR AGENTS, WITHOUT McELHANNEY'S PRIOR WRITTEN CONSENT.

INFORMATION ON EXISTING UNDERGROUND FACILITIES MAY NOT BE COMPLETE OR ACCURATE. McELHANNEY, ITS EMPLOYEES AND DIRECTORS ARE NOT RESPONSIBLE NOR LIABLE FOR THE LOCATION OF ANY UNDERGROUND CONDUITS, PIPES, CABLES OR OTHER FACILITIES WHETHER SHOWN OR OMITTED FROM THIS PLAN. PRIOR TO CONSTRUCTION CONTRACTOR SHALL EXPOSE LOCATIONS OF ALL EXISTING FACILITIES BY HAND DIGGING OR HYDROVAC AND ADVISE THE ENGINEER OF POTENTIAL CONFLICTS.

ORIGINAL DWG SIZE: ANSI D (22" x 34")

**McElhanney**

8808 Northern Lights Drive,  
Fort St. John BC V1J 6M2  
Tel. 250 787 0356

**PERMIT TO PRACTICE**  
McElhanney Ltd.

PERMIT NUMBER: 1003299  
Engineers and Geoscientists of BC

2026-03-02  
Approved Sealed

**DISTRICT OF HUDSON'S HOPE**  
9904 DUDLEY DRIVE, HUDSON'S HOPE, BC, V0C 1V0


**WATER TREATMENT PLANT  
UPGRADES - PACKAGE 3  
POLYMER DOSING  
P&ID**

Drawing No. **P-100**

Sheet **06 OF 07**

Project Number **3111-27018-02**

Rev. **1**



- LEGEND:**
- RAW WATER
  - CLARIFIED/FILTERED WATER
  - POTABLE WATER
  - WASTEWATER
  - SLUDGE TRANSFER
  - CHEMICAL ADDITION
  - BACKWASH
  - AIR
  - DRAIN
  - EXISTING

- NOTES:**
1. INSTALL USING EITHER 1/2" PE TUBING OR SCH80 PVC PIPE.
  2. ASSUMES THAT COAGULANT TANK IS WITHIN CLOSE PROXIMITY TO THE DOSING SKID.

THIS DRAWING AND DESIGN IS THE PROPERTY OF MCELHANNNEY AND SHALL NOT BE USED, REUSED OR REPRODUCED WITHOUT THE CONSENT OF MCELHANNNEY. MCELHANNNEY WILL NOT BE HELD RESPONSIBLE FOR THE IMPROPER OR UNAUTHORIZED USE OF THIS DRAWING AND DESIGN.

THIS DRAWING AND DESIGN HAS BEEN PREPARED FOR THE CLIENT IDENTIFIED, TO MEET THE STANDARDS AND REQUIREMENTS OF THE APPLICABLE PUBLIC AGENCIES AT THE TIME OF PREPARATION. MCELHANNNEY, ITS EMPLOYEES, SUBCONSULTANTS AND AGENTS WILL NOT BE LIABLE FOR ANY LOSSES OR OTHER CONSEQUENCES RESULTING FROM THE USE OR RELIANCE UPON, OR ANY CHANGES MADE TO, THIS DRAWING, BY ANY THIRD PARTY, INCLUDING CONTRACTORS, SUPPLIERS, CONSULTANTS AND STAKEHOLDERS, OR THEIR EMPLOYEES OR AGENTS, WITHOUT MCELHANNNEY'S PRIOR WRITTEN CONSENT.


INFORMATION ON EXISTING UNDERGROUND FACILITIES MAY NOT BE COMPLETE OR ACCURATE. MCELHANNNEY, ITS EMPLOYEES AND DIRECTORS ARE NOT RESPONSIBLE NOR LIABLE FOR THE LOCATION OF ANY UNDERGROUND CONDUITS, PIPES, CABLES OR OTHER FACILITIES WHETHER SHOWN OR OMITTED FROM THIS PLAN. PRIOR TO CONSTRUCTION CONTRACTOR SHALL EXPOSE LOCATIONS OF ALL EXISTING FACILITIES BY HAND DIGGING OR HYDROVAC AND ADVISE THE ENGINEER OF POTENTIAL CONFLICTS.

ORIGINAL DWG SIZE: ANSI D (22" x 34")

**McElhanney**

8808 Northern Lights Drive,  
Fort St. John BC V1J 6M2  
Tel. 250 787 0356

**PERMIT TO PRACTICE**  
McElhanney Ltd.  
PERMIT NUMBER: 1003299  
Engineers and Geoscientists of BC



**DISTRICT OF HUDSON'S HOPE**  
9904 DUDLEY DRIVE, HUDSON'S HOPE, BC, V0C 1V0

**WATER TREATMENT PLANT  
UPGRADES - PACKAGE 3  
COAGULANT DOSING  
P&ID**

Drawing No.		<b>P-100</b>	
Sheet	07 OF 07	Project Number	3111-27018-02
Rev.	1		

GENERAL ABBREVIATIONS

Table of general abbreviations including A - AMPS, AC - ASBESTOS CEMENT, ACK - ACKNOWLEDGE, AF - AFTER FILTER, etc.

Table of general abbreviations including FW - FILTERED WATER, GF - GROUND FAULT PROTECTION, GS - GAS SUPPLY, HA - HAND/AUTO, etc.

PLC - PROGRAMMABLE LOGIC CONTROLLER

Table of abbreviations including PLC - PROGRAMMABLE LOGIC CONTROLLER, PLT - PLATE, PO - PUMP OUT, PP - PERSONNEL PROTECTION/PLOT PLAN, etc.

VALVE IDENTIFICATION SYSTEM

Table of valve identification system including VALVE TAG (EXAMPLE) = 200-BA-301-S-YXXX, DIGIT, SIZE, VALVE TYPE, RATING, etc.

EQUIPMENT IDENTIFICATION SYSTEM

Table of equipment identification system including EQUIPMENT TAG EXAMPLE = P-B0001 (PUMP), EQUIPMENT DESIGNATION, AREA CODE, SEQUENTIAL NUMBER, etc.

PIPING CLASS SPECIFICATION

Table of piping class specification including CLASS, RATING, SERVICE, DI1 - 125#, A - 150#, A1 - 150#, etc.

COMMODITY

Table of commodity including AIR, WATER, OTHER UTILITIES, PROJECT SPECIFIC IDENTIFICATION, AREA CODES, SEQUENTIAL NUMBERING, etc.

Revision table with columns for Rev, Date, Description, Drawn, Design, App'd.

THIS DRAWING AND DESIGN IS THE PROPERTY OF McELHANNEY AND SHALL NOT BE USED, REUSED OR REPRODUCED WITHOUT THE CONSENT OF McELHANNEY.

THIS DRAWING AND DESIGN HAS BEEN PREPARED FOR THE CLIENT IDENTIFIED, TO MEET THE STANDARDS AND REQUIREMENTS OF THE APPLICABLE PUBLIC AGENCIES AT THE TIME OF PREPARATION.

McElhanney logo and contact information: 8808 Northern Lights Drive, Fort St. John BC V1J 6M2, Tel. 250 787 0356

PERMIT TO PRACTICE McElhanney Ltd. PERMIT NUMBER: 1003299 Engineers and Geoscientists of BC




DISTRICT OF HUDSON'S HOPE 9904 DUDLEY DRIVE, HUDSON'S HOPE, BC, V0C 1V0 WATER TREATMENT PLANT UPGRADES - PACKAGE 3 PROCESS DESIGNATION SYMBOLOGY

Drawing No. P-000 Sheet 01 OF 06 Project Number 3111-27018-02 Rev. 1



DATE: 2026-02-25, 16:56 FILE: X:\3111\Projects\31112701802\_District of Hudsons Hope WTP DD - Carrier Supply\Coord\07\_DRAININGS\01\_Sheets\BDDP-000.dwg

**VALVES**






- NOTES:**
- \* INDICATES THAT BY ADDING ACTUATOR TO THE BASIC VALVE SYMBOL, THE VALVE BECOMES A CONTROL VALVE.
  - FLANGED VALVE.
  - NON-FLANGED VALVE.
  - IT IS NOT MANDATORY TO SHOW A COMMON HOUSING.
  - NORMALLY CLOSED VALVES ARE INDICATED WITH A SOLID FILL. FOR EXAMPLE: A NORMALLY CLOSED GLOBE VALVE:



**REGULATORS & RELIEF VALVES**




**LINES**




**FLOW ELEMENTS**




**FITTINGS & JOINTS**




**CLOUDS**




**FILTERS, VENTS & DRAINS**



**TRAPS, SILENCERS & DAMPENERS**



**MISCELLANEOUS**



THIS DRAWING AND DESIGN IS THE PROPERTY OF McELHANNEY AND SHALL NOT BE USED, REUSED OR REPRODUCED WITHOUT THE CONSENT OF McELHANNEY. McELHANNEY WILL NOT BE HELD RESPONSIBLE FOR THE IMPROPER OR UNAUTHORIZED USE OF THIS DRAWING AND DESIGN.

THIS DRAWING AND DESIGN HAS BEEN PREPARED FOR THE CLIENT IDENTIFIED, TO MEET THE STANDARDS AND REQUIREMENTS OF THE APPLICABLE PUBLIC AGENCIES AT THE TIME OF PREPARATION. McELHANNEY, ITS EMPLOYEES, SUBCONSULTANTS AND AGENTS WILL NOT BE LIABLE FOR ANY LOSSES OR OTHER CONSEQUENCES RESULTING FROM THE USE OR RELIANCE UPON, OR ANY CHANGES MADE TO, THIS DRAWING, BY ANY THIRD PARTY, INCLUDING CONTRACTORS, SUPPLIERS, CONSULTANTS AND STAKEHOLDERS, OR THEIR EMPLOYEES OR AGENTS, WITHOUT McELHANNEY'S PRIOR WRITTEN CONSENT.

INFORMATION ON EXISTING UNDERGROUND FACILITIES MAY NOT BE COMPLETE OR ACCURATE. McELHANNEY, ITS EMPLOYEES AND DIRECTORS ARE NOT RESPONSIBLE NOR LIABLE FOR THE LOCATION OF ANY UNDERGROUND CONDUITS, PIPES, CABLES OR OTHER FACILITIES WHETHER SHOWN OR OMITTED FROM THIS PLAN. PRIOR TO CONSTRUCTION CONTRACTOR SHALL EXPOSE LOCATIONS OF ALL EXISTING FACILITIES BY HAND DIGGING OR HYDROVAC AND ADVISE THE ENGINEER OF POTENTIAL CONFLICTS.

ORIGINAL DWG SIZE: ANSI D (22" x 34")

**McElhanney**

8808 Northern Lights Drive,  
 Fort St. John BC V1J 6M2  
 Tel. 250 787 0356

**PERMIT TO PRACTICE**  
 McElhanney Ltd.

PERMIT NUMBER: 1003299  
 Engineers and Geoscientists of BC

**PROFESSIONAL ENGINEER**

M.P.J. DEGAJNE  
 #29825  
 2026-03-02

Approved Sealed

**DISTRICT OF HUDSON'S HOPE**  
 9904 DUDLEY DRIVE, HUDSON'S HOPE, BC, V0C 1V0

**WATER TREATMENT PLANT  
 UPGRADES - PACKAGE 3  
 PROCESS  
 DESIGNATION SYMBOLOGY**

Drawing No. **P-000**


Sheet **02 OF 06**

Project Number **3111-27018-02** Rev. **1**

DESTROY ALL PRINTS BEARING PREVIOUS REVISIONS

GENERAL INSTRUMENT OR FUNCTION SYMBOLS

	FIELD MOUNTED	PRIMARY LOCATION NORMALLY ACCESSIBLE TO OPERATOR (PANEL)	PRIMARY LOCATION NORMALLY INACCESSIBLE TO OPERATOR (BEHIND PANEL)	AUXILIARY LOCATION NORMALLY ACCESSIBLE TO OPERATOR (PANEL)	AUXILIARY LOCATION NORMALLY INACCESSIBLE TO OPERATOR (BEHIND PANEL)
DISCRETE INSTRUMENTS					
SHARED DISPLAY SHARED CONTROL, DCS					
PROGRAMMABLE LOGIC CONTROL (PLC)					
VENDOR OR 3RD PARTY PLC					
SAFETY SYSTEM (SIS)					



TYPICAL LETTER COMBINATIONS

FIRST LETTERS	INITIATING OR MEASURED VARIABLE	NOTE COLUMN SEE BELOW	CONTROLLERS				READOUT DEVICES			SWITCHES AND ALARM DEVICES*			TRANSMITTERS			SOLENOIDS, RELAYS, COMPUTING DEVICES	PRIMARY ELEMENT	TEST POINT	WELL OR PROBE	VIEWING DEVICE, GLASS	SAFETY DEVICE	FINAL ELEMENT
			RECORDING	INDICATING	BLIND	SELF-ACTUATED CONTROL VALVES	RECORDING	INDICATING	HIGH**	LOW	COMB	RECORDING	INDICATING	BLIND								
A	ANALYSIS	(1)	ARC	AIC	AC		AR	AI	ASH	ASL	ASHL	ART	AIT	AT	AY	AE	AP	AW	BG		AV	
B	BURNER/COMBUSTION		BRC	BIC	BC		BR	BI	BSH	BSL	BSHL	BRT	BIT	BT	BY	BE		BW	BG		BZ	
C	USER'S CHOICE																					
D	USER'S CHOICE																					
E	VOLTAGE		ERC	EIC	EC		ER	EI	ESH	ESL	ESHL	ERT	EIT	ET	EY	EE					EZ	
F	FLOW RATE		FRC	FIC	FC	FCV, FICV	FR	FI	FSH	FSL	FSHL	FRT	FIT	FT	FY	FE	FP		FG		FV	
FF	FLOW RATIO	(5)	FFRC	FFIC	FFC		FFR	FFI	FFSH	FFSL						FE					FFV	
FQ	FLOW QUANTITY	(5)	FQRC	FQIC			FQR	FQI	FQSH	FQSL			FQIT	FQT	FQY	FQE					FQV	
G	USER'S CHOICE	(2)																				
H	HAND			HIC	HC						HS										HV	
I	CURRENT		IRC	IIC			IR	II	ISH	ISL	ISHL	IRT	IIT	IT	IY	IE					IZ	
J	POWER		JRC	JIC			JR	JI	JSH	JSL	JSHL	JRT	JIT	JT	JY	JE					JV	
K	TIME		KRC	KIC	KC	KCV	KR	KI	KSH	KSL	KSHL	KRT	KIT	KT	KY	KE					KV	
L	LEVEL		LRC	LIC	LC	LCV	LR	LI	LSH	LSL	LSHL	LRT	LIT	LT	LY	LE		LW	LG		LV	
M	MOTOR CONTROL	(7)																			MS	
N	USER'S CHOICE	(2)																				
O	USER'S CHOICE	(2)																				
P	PRESSURE, VACUUM		PRC	PIC	PC	PCV	PR	PI	PSH	PSL	PSHL	PRT	PIT	PT	PY	PE	PP		PG	PSV, PSE	PV	
PD	PRESSURE, DIFFERENTIAL	(5)	PDRC	PDIC	PDC	PDCV	PDR	PDI	PDSH	PDSL		PDRT	PDIT	PDT	PDY	PE	PP		PDG		PDV	
Q	QUANTITY		QRC	QIC			QR	QI	QSH	QSL	QSHL	QRT	QIT	QT	QY	QE					QZ	
R	RADIATION		RRC	RIC	RC		RR	RI	RSH	RSL	RSHL	RRT	RIT	RT	RY	RE		RW			RZ	
S	SPEED, FREQUENCY		SRC	SIC	SC	SCV	SR	SI	SSH	SSL	SSLH	SRT	SIT	ST	SY	SE					SV	
T	TEMPERATURE		TRC	TIC	TC	TCV	TR	TI	TSH	TSL	TSHL	TRT	TIT	TT	TY	TE	TP	TW	TG	TSE	TV	
TD	TEMPERATURE, DIFFERENTIAL		TDRC	TDIC	TDC	TDCV	TDR	TDI	TDSH	TDSL		TDRT	TDIT	TDT	TDY	TE	TP	TW			TDV	
U	MULTIVARIABLE						UR	UI							UY						UV	
V	VIBRATION, MACHINERY ANALYSIS						VR	VI	VSH	VSL	VSHL	VRT	VIT	VT	VY	VE					VZ	
W	WEIGHT FORCE		WRC	WIC	WC	WCV	WR	WI	WSH	WSL	WSHL	WRT	WIT	WT	WY	WE					WZ	
WD	WEIGHT FORCE, DIFFERENTIAL		WDRC	WDIC	WDC	WDCV	WDR	WDI	WDSH	WDSL		WDRT	WDIT	WDT	WDY	WE					WDZ	
X	SAFETY (BLOCK VALVE)	(4)																		XY	XV	
Y	EVENT STATE PRESENCE	(3)		YIC	YC		YR	YI	YSH	YSL				YT	YY	YE					YZ	
Z	POSITION, DIMENSION		ZRC	ZIC	ZC	ZCV	ZR	ZI	ZSO	ZCS		ZRT	ZIT	ZT	ZY	ZE					ZV	
ZD	GAUGING, DEVIATION	(5)	ZDRC	ZDIC	ZDC	ZDCV	ZDR	ZDI	ZDSH	ZDSL		ZDRT	ZDIT	ZDT	ZDY	ZDE					ZDV	

NOTE: THIS TABLE IS NOT ALL-INCLUSIVE

\* 'A', ALARM, THE ANNUNCIATING DEVICE, MAY BE USED IN THE SAME FASHION AS 'S'. SWITCH, THE ACTUATING DEVICE.

\*\* THE LETTERS H AND L MAY BE OMITTED IN THE UNDEFINED CASE.

OTHER POSSIBLE COMBINATIONS:


- FO - RESTRICTION ORIFICE
- FRK, HIK - CONTROL STATIONS
- FX - ACCESSORIES
- TJR - SCANNING RECORDER
- LL - LOW LOW
- LLH - PILOT LIGHT

- FFIC - RATIO
- KQI - RUNNING TIME INDICATOR
- QQI - INDICATING COUNTER
- WKIC - RATE-OF-WEIGHT-LOSS CONTROLLER
- HH - HIGH HIGH
- HMS - HAND MOMENTARY SWITCH


NOTES:

- FIRST LETTER 'A' (ANALYSIS) COVERS ALL ANALYZERS. THE TYPE OF ANALYZER WILL BE DESCRIBED OUTSIDE THE INSTRUMENT BALLOON.
- FUNCTIONS OF TRANSDUCERS, RELAYS, FUNCTION BLOCKS ETC. ARE SHOWN OUTSIDE THE INSTRUMENT BALLOON.
- FIRST LETTER 'Y' IS INTENDED FOR USE WHEN CONTROL OR MONITORING RESPONSES ARE EVENT DRIVEN AS OPPOSED TO TIME OR TIME SCHEDULE DRIVEN. 'Y' IN THIS POSITION CAN ALSO SIGNIFY PRESENCE OR STATE.
- USAGE: 'X' - EMERGENCY AND/OR SHUTDOWN. IF BOTH FUNCTIONS (EMERGENCY AND SHUTDOWN) ARE PRESENT, AND A NEED TO DIFFERENTIATE EXISTS, THEN THE APPROPRIATE WORD IS TO BE ADDED OUTSIDE THE INSTRUMENT BALLOON.
- ANY FIRST LETTER IF USED IN COMBINATION WITH MODIFYING LETTERS 'D' (DIFFERENTIAL), 'F' (RATIO), 'K' (TIME RATE OF CHANGE), 'Q' (ITERATE OR TOTALIZE), OR ANY COMBINATION IS TREATED AS A FIRST LETTER ENTITY. THUS, INSTRUMENT TDI AND TI INDICATE TWO DIFFERENT VARIABLES, NAMELY DIFFERENTIAL TEMPERATURE AND TEMPERATURE. MODIFYING LETTERS ARE USED WHEN APPLICABLE.
- PRESSURE RELIEF VALVES, PRESSURE SAFETY VALVES, RUPTURE DISCS AND PRESSURE/VACUUM RELIEF VALVES ARE SHOWN AS PRV, PSV, PSE AND PVRV RESPECTIVELY.
- THE USE OF 'USERS CHOICE' INITIATING OR MEASURED VARIABLE ARE PROJECT SPECIFIC.


INSTRUMENT SIGNAL LINES



FUNCTION IDENTIFICATION



BLEED RING DETAIL



A NOTE WILL ACCOMPANY THE SP ITEM TO REFER TO FULL DETAIL ON THE LEAD SHEET STD-PID-0003.

MOTOR CONTROL SIGNALS:

- S/S - START/STOP (MAINTAINED)
- ST - START
- SP - STOP
- RS - RUN STATUS
- FS - FAULT STATUS
- S/D - SHUTDOWN
- SI - SPEED INDICATION
- SY - SPEED CONTROL
- GF - GROUND FAULT PROTECTION

CONTROL STATION:

- ESD - EMERGENCY SHUTDOWN
- HA - HAND/AUTO
- HOA - HAND/OFF/AUTO
- LSR - LOCAL/STOP/REMOTE
- MA - MANUAL/AUTO
- OA - OFF/AUTO
- JA - JOG/AUTO
- JOA - JOG/OFF/AUTO

Rev	Date	Description	Drawn	Design	App'd
1	2026-02-27	ISSUED FOR QUOTATION	GP	CS	MD
0	2025-12-18	ISSUED FOR PERMITTING	GP	CS	MD

THIS DRAWING AND DESIGN IS THE PROPERTY OF McELHANNEY AND SHALL NOT BE USED, REUSED OR REPRODUCED WITHOUT THE CONSENT OF McELHANNEY. McELHANNEY WILL NOT BE HELD RESPONSIBLE FOR THE IMPROPER OR UNAUTHORIZED USE OF THIS DRAWING AND DESIGN.


THIS DRAWING AND DESIGN HAS BEEN PREPARED FOR THE CLIENT IDENTIFIED, TO MEET THE STANDARDS AND REQUIREMENTS OF THE APPLICABLE PUBLIC AGENCIES AT THE TIME OF PREPARATION. McELHANNEY, ITS EMPLOYEES, SUBCONSULTANTS AND AGENTS WILL NOT BE LIABLE FOR ANY LOSSES OR OTHER CONSEQUENCES RESULTING FROM THE USE OR RELIANCE UPON, OR ANY CHANGES MADE TO, THIS DRAWING, BY ANY THIRD PARTY, INCLUDING CONTRACTORS, SUPPLIERS, CONSULTANTS AND STAKEHOLDERS, OR THEIR EMPLOYEES OR AGENTS, WITHOUT McELHANNEY'S PRIOR WRITTEN CONSENT.

INFORMATION ON EXISTING UNDERGROUND FACILITIES MAY NOT BE COMPLETE OR ACCURATE. McELHANNEY, ITS EMPLOYEES AND DIRECTORS ARE NOT RESPONSIBLE NOR LIABLE FOR THE LOCATION OF ANY UNDERGROUND CONDUITS, PIPES, CABLES OR OTHER FACILITIES WHETHER SHOWN OR OMITTED FROM THIS PLAN. PRIOR TO CONSTRUCTION CONTRACTOR SHALL EXPOSE LOCATIONS OF ALL EXISTING FACILITIES BY HAND DIGGING OR HYDROVAC AND ADVISE THE ENGINEER OF POTENTIAL CONFLICTS.

ORIGINAL DWG SIZE: ANSI D (22" x 34")

**McElhanney**  
 8808 Northern Lights Drive,  
 Fort St. John BC V1J 6M2  
 Tel. 250 787 0356


PERMIT TO PRACTICE  
 McElhanney Ltd.  
 PERMIT NUMBER: 1003299  
 Engineers and Geoscientists of BC




DISTRICT OF HUDSON'S HOPE  
 9904 DUDLEY DRIVE, HUDSON'S HOPE, BC, V0C 1V0  
**WATER TREATMENT PLANT  
 UPGRADES - PACKAGE 3  
 PROCESS  
 INSTRUMENTATION SYMBOLOGY**

Drawing No. **P-000**  
 Sheet **03 OF 06**  
 Project Number **3111-27018-02** Rev. **1**


**PUMPS**




**COMPRESSORS**



**MIXERS, BLOWERS**



**MISCELLANEOUS**



Rev	Date	Description	Drawn	Design	App'd
1	2026-02-27	ISSUED FOR QUOTATION	GP	CS	MD
0	2025-12-18	ISSUED FOR PERMITTING	GP	CS	MD

THIS DRAWING AND DESIGN IS THE PROPERTY OF McELHANNEY AND SHALL NOT BE USED, REUSED OR REPRODUCED WITHOUT THE CONSENT OF McELHANNEY. McELHANNEY WILL NOT BE HELD RESPONSIBLE FOR THE IMPROPER OR UNAUTHORIZED USE OF THIS DRAWING AND DESIGN.

THIS DRAWING AND DESIGN HAS BEEN PREPARED FOR THE CLIENT IDENTIFIED, TO MEET THE STANDARDS AND REQUIREMENTS OF THE APPLICABLE PUBLIC AGENCIES AT THE TIME OF PREPARATION. McELHANNEY, ITS EMPLOYEES, SUBCONSULTANTS AND AGENTS WILL NOT BE LIABLE FOR ANY LOSSES OR OTHER CONSEQUENCES RESULTING FROM THE USE OR RELIANCE UPON, OR ANY CHANGES MADE TO, THIS DRAWING, BY ANY THIRD PARTY, INCLUDING CONTRACTORS, SUPPLIERS, CONSULTANTS AND STAKEHOLDERS, OR THEIR EMPLOYEES OR AGENTS, WITHOUT McELHANNEY'S PRIOR WRITTEN CONSENT.

INFORMATION ON EXISTING UNDERGROUND FACILITIES MAY NOT BE COMPLETE OR ACCURATE. McELHANNEY, ITS EMPLOYEES AND DIRECTORS ARE NOT RESPONSIBLE NOR LIABLE FOR THE LOCATION OF ANY UNDERGROUND CONDUITS, PIPES, CABLES OR OTHER FACILITIES WHETHER SHOWN OR OMITTED FROM THIS PLAN. PRIOR TO CONSTRUCTION CONTRACTOR SHALL EXPOSE LOCATIONS OF ALL EXISTING FACILITIES BY HAND DIGGING OR HYDROVAC AND ADVISE THE ENGINEER OF POTENTIAL CONFLICTS.

ORIGINAL DWG SIZE: ANSI D (22" x 34")

**McElhanney**  
 8808 Northern Lights Drive,  
 Fort St. John BC V1J 6M2  
 Tel. 250 787 0356


**PERMIT TO PRACTICE**  
 McElhanney Ltd.  
 PERMIT NUMBER: 1003299  
 Engineers and Geoscientists of BC

**PROFESSIONAL ENGINEER**  
 M.P.J. DEGAJNE  
 #29825  
 2028-03-02  
 Approved Sealed


**DISTRICT OF HUDSON'S HOPE**  
 9904 DUDLEY DRIVE, HUDSON'S HOPE, BC, V0C 1V0  
**WATER TREATMENT PLANT**  
**UPGRADES - PACKAGE 3**  
**PROCESS**  
**EQUIPMENT SYMBOLOLOGY**

Drawing No. **P-000**  
 Sheet **04 OF 06**  
 Project Number **3111-27018-02** Rev. **1**

**EXCHANGERS**



SHELL AND TUBE EXCHANGER  
(PFD ONLY)



AIR-COOLED HEAT EXCHANGER






PLATE HEAT EXCHANGER

**HEATERS, COOLERS**



CATADYNE HEATER




ELECTRIC HEATER


**STACKS**



VENT STACK




INCINERATOR/VENT STACK




FLARE STACK


**STORAGE TANKS**




OPEN STORAGE TANK




SKIM OIL TANK




FIXED ROOF STORAGE TANK




MANWAY



FIXED ROOF STORAGE TANK  
WITH SLOPED BOTTOM




CONE BOTTOM TANK




TANK INTERNAL OPTIONS


**VESSELS**




HORIZONTAL PRESSURE VESSEL




CARTRIDGE FILTER VESSEL




HORIZONTAL GAS STRIPPER




HOT LIME SOFTENER



VERTICAL PRESSURE VESSEL



VERTICAL GAS STRIPPER



FILTER VESSEL


**VESSEL INTERNAL:**



VANE PACK



MESH PAD



VORTEX BREAKER

(NOTE: INTERNALS TO BE NOTED BY PROCESS ENGINEER.)

Rev	Date	Description	Drawn	Design	App'd
1	2026-02-27	ISSUED FOR QUOTATION	GP	CS	MD
0	2025-12-18	ISSUED FOR PERMITTING	GP	CS	MD

THIS DRAWING AND DESIGN IS THE PROPERTY OF McELHANNEY AND SHALL NOT BE USED, REUSED OR REPRODUCED WITHOUT THE CONSENT OF McELHANNEY. McELHANNEY WILL NOT BE HELD RESPONSIBLE FOR THE IMPROPER OR UNAUTHORIZED USE OF THIS DRAWING AND DESIGN.

THIS DRAWING AND DESIGN HAS BEEN PREPARED FOR THE CLIENT IDENTIFIED, TO MEET THE STANDARDS AND REQUIREMENTS OF THE APPLICABLE PUBLIC AGENCIES AT THE TIME OF PREPARATION. McELHANNEY, ITS EMPLOYEES, SUBCONSULTANTS AND AGENTS WILL NOT BE LIABLE FOR ANY LOSSES OR OTHER CONSEQUENCES RESULTING FROM THE USE OR RELIANCE UPON, OR ANY CHANGES MADE TO, THIS DRAWING, BY ANY THIRD PARTY, INCLUDING CONTRACTORS, SUPPLIERS, CONSULTANTS AND STAKEHOLDERS, OR THEIR EMPLOYEES OR AGENTS, WITHOUT McELHANNEY'S PRIOR WRITTEN CONSENT.

INFORMATION ON EXISTING UNDERGROUND FACILITIES MAY NOT BE COMPLETE OR ACCURATE. McELHANNEY, ITS EMPLOYEES AND DIRECTORS ARE NOT RESPONSIBLE NOR LIABLE FOR THE LOCATION OF ANY UNDERGROUND CONDUITS, PIPES, CABLES OR OTHER FACILITIES WHETHER SHOWN OR OMITTED FROM THIS PLAN. PRIOR TO CONSTRUCTION CONTRACTOR SHALL EXPOSE LOCATIONS OF ALL EXISTING FACILITIES BY HAND DIGGING OR HYDROVAC AND ADVISE THE ENGINEER OF POTENTIAL CONFLICTS.

**BENCHMARK**  
ALL ELEVATION REFER TO CONTROL MONUMENT: -  
LOCATED AT: -  
ELEVATION: -

0 1:1,000 50

ORIGINAL DWG SIZE: ANSI D (22" x 34")

**McElhanney**

8808 Northern Lights Drive,  
Fort St. John BC V1J 6M2  
Tel. 250 787 0356

**PERMIT TO PRACTICE**  
McElhanney Ltd.

PERMIT NUMBER: 1003299  
Engineers and Geoscientists of BC

PROFESSIONAL ENGINEER  
M.P.J. DEGAGNE  
#29825  
2026-03-02  
Approved Sealed



**DISTRICT OF HUDSON'S HOPE**  
9904 DUDLEY DRIVE, HUDSON'S HOPE, BC, V0C 1V0

**WATER TREATMENT PLANT  
UPGRADES - PACKAGE 3  
PROCESS  
EQUIPMENT SYMBOLOLOGY**

Drawing No. **P-000**

Sheet **05 OF 06**

Project Number **3111-27018-02** Rev. **1**



**NOTES:**

1. REFER TO P&ID FOR ACTUAL VALVE BODY, ACTUATOR TYPE AND FAIL POSITION.
2. \_V FIRST DIGIT REFERS TO SERVICE. I.E. FLOW, TEMPERATURE, PRESSURE, ETC.
3. DIGITAL COMPOSITE SOFT POINT WILL HAVE THE SAME TAG AS VALVE.
4. ESD RESETS WILL BE PROVIDED FOR VALVES OR GROUPS OF VALVES.
5. POSITION SWITCH CONFIRMS FAIL POSITION. I.E. ZSC ON FO VALVE, ZSO ON FO VALVE.
6. VALVE POSITION INDICATION BASED ON POSITION SWITCHES.
7. DETAIL ON P&ID SPECIFYING WHICH VALVE CONTROL ARRANGEMENT TO BE USED.
8. HS WILL NOT BE TAGGED IF INTEGRAL TO ACTUATOR.
9. ALL MOV'S TYPICALLY FAIL LAST, UNLESS SPECIFIED FAIL POSITION. BATTERY PACK IS REQUIRED.
10. DEPICTIONS SHOWN ARE FOR GUIDANCE. SOME PROJECTS MAY REQUIRE DIFFERENT ARRANGEMENTS, THESE SHOULD BE REFLECTED ON THE P&ID.

- LEGEND:** NOTE 2
- \_YV= SOLENOID (DO)/SHUTDOWN
  - \_ZSO= OPEN POSITION SWITCH (DI)
  - \_ZSC= CLOSED POSITION SWITCH (DI)
  - \_ZIO= OPEN INDICATION (SOFT)
  - \_ZIC= CLOSE INDICATION (SOFT)
  - \_ZI= VALVE POSITION (SOFT) NOTE 6
  - \_VCO= OPEN COMMAND (SOFT)
  - \_VCC= CLOSED COMMAND (SOFT)
  - \_VO= OPEN COMMAND (DO)
  - \_VC= CLOSE COMMAND (DO)
  - \_HI= LOCAL/REMOTE (SOFT)
  - \_VF= FAULT (SOFT)
  - \_Y= I/P TRANSDUCER (AO)

Rev	Date	Description	Drawn	Design	App'd
1	2026-02-27	ISSUED FOR QUOTATION	GP	CS	MD
0	2025-12-18	ISSUED FOR PERMITTING	GP	CS	MD

THIS DRAWING AND DESIGN IS THE PROPERTY OF MCELHANEY AND SHALL NOT BE USED, REUSED OR REPRODUCED WITHOUT THE CONSENT OF MCELHANEY. MCELHANEY WILL NOT BE HELD RESPONSIBLE FOR THE IMPROPER OR UNAUTHORIZED USE OF THIS DRAWING AND DESIGN.

THIS DRAWING AND DESIGN HAS BEEN PREPARED FOR THE CLIENT IDENTIFIED, TO MEET THE STANDARDS AND REQUIREMENTS OF THE APPLICABLE PUBLIC AGENCIES AT THE TIME OF PREPARATION. MCELHANEY, ITS EMPLOYEES, SUBCONSULTANTS AND AGENTS WILL NOT BE LIABLE FOR ANY LOSSES OR OTHER CONSEQUENCES RESULTING FROM THE USE OR RELIANCE UPON, OR ANY CHANGES MADE TO, THIS DRAWING, BY ANY THIRD PARTY, INCLUDING CONTRACTORS, SUPPLIERS, CONSULTANTS AND STAKEHOLDERS, OR THEIR EMPLOYEES OR AGENTS, WITHOUT MCELHANEY'S PRIOR WRITTEN CONSENT.

INFORMATION ON EXISTING UNDERGROUND FACILITIES MAY NOT BE COMPLETE OR ACCURATE. MCELHANEY, ITS EMPLOYEES AND DIRECTORS ARE NOT RESPONSIBLE NOR LIABLE FOR THE LOCATION OF ANY UNDERGROUND CONDUITS, PIPES, CABLES OR OTHER FACILITIES WHETHER SHOWN OR OMITTED FROM THIS PLAN. PRIOR TO CONSTRUCTION CONTRACTOR SHALL EXPOSE LOCATIONS OF ALL EXISTING FACILITIES BY HAND DIGGING OR HYDROVAC AND ADVISE THE ENGINEER OF POTENTIAL CONFLICTS.

**BENCHMARK**  
ALL ELEVATION REFER TO CONTROL MONUMENT: -  
LOCATED AT: -  
ELEVATION: -

ORIGINAL DWG SIZE: ANSI D (22" x 34")

**McElhanney**

8808 Northern Lights Drive,  
Fort St. John BC V1J 6M2  
Tel. 250 787 0356

**PERMIT TO PRACTICE**  
McElhanney Ltd.

PERMIT NUMBER: 1003299  
Engineers and Geoscientists of BC

2026-03-02  
Approved Sealed

**DISTRICT OF HUDSON'S HOPE**  
9904 DUDLEY DRIVE, HUDSON'S HOPE, BC, V0C 1V0

**WATER TREATMENT PLANT  
UPGRADES - PACKAGE 3  
PROCESS  
INSTRUMENTATION SYMBOLOGY**

Drawing No. **P-000**

Sheet **06 OF 06**

Project Number **3111-27018-02** Rev. **1**